

## NON INSULATED FEMALE BLADE TERMINALS

- Material: Brass or tin plated
- Operating temperature: +125°C



BAG



### PRODUCT INFORMATION

Part No.	Material	Description	Wire Size	Tab Size	Qty	Packaging
LV2730	Brass	Non-Insulated Female Blade Terminal	1 - 3mm	2.8 x 0.8mm	100	Bag
LV2731	Brass	Non-Insulated Female Blade Terminal	1 - 3mm	4.8 x 0.8mm	100	Bag
LV2732	Brass	Non-Insulated Female Blade Terminal	1 - 4mm	6.3 x 0.8mm	100	Bag
LV2733	Brass	Non-Insulated Female Blade Terminal	1 - 6mm	9.5 x 1.2mm	100	Bag
LV2734	Tin Plated	Suits Single Q.C Connectors Housing	1 - 4mm	6.3 x 0.8mm	100	Bag
LV2738	Tin Plated	Non-Insulated Female Terminal	3 - 5mm	6.3 x 0.8mm	100	Bag

## NON INSULATED TWIN MALE BLADE TERMINAL ADAPTOR

- Material: Brass
- Operating temperature: +125°C



BLISTER/BOX



### PRODUCT INFORMATION

Part No.	Width	Length	Tab Size	Qty	Packaging
LV2540	7.4mm	18mm	6.3 x 0.8mm (1/4")	19	Blister
LV2541	7.4mm	18mm	6.3 x 0.8mm (1/4")	100	Box

## NON INSULATED RING TERMINALS

- Material: Brass
- Operating temperature: +125°C



BAG



### PRODUCT INFORMATION

Part No.	Wire Size	Ring Dia	Qty	Packaging
LV2740	1-3mm	4.3mm	100	Bag
LV2742	1 - 4mm	8.4mm	100	Bag

## NON INSULATED BULLET TERMINALS

- Material: Brass
- Operating temperature: + 125°C



BAG



### PRODUCT INFORMATION

Part No.	Description	Wire Size	Tab Size	Qty	Packaging
LV2750	Non-Insulated Female Bullet Terminal	1 - 3mm	4mm	100	Bag
LV2751	Non-Insulated Female Bullet Terminal	1 - 4mm	5mm	100	Bag
LV2752	Non-Insulated Male Bullet Terminal	1 - 3mm	4mm	100	Bag
LV2753	Non-Insulated Male Bullet Terminal	1 - 4mm	5mm	100	Bag