



LVK900

6V / 12V 1.5 Amp Battery Charger



8 CYCLES CHARGING ALGORITHM INITIALIZATION V Range RECOVERY 6-10.5 1,25 - 6 V Range V Range V Range Battery SOFT CHARGE 10,5 - 14,6 13,5 - 14,5* **BULK CHARGE** DESULFATION ANALYSIS MAINTENANCE unn EQUALIZATION



3 Year Warranty

FEATURES:

- 12V 1.5 Amp Microprocessor Controlled Automatic Battery Charger
- 3 Charging Modes: 6V, 12V & 12V CAN-BUS for BMW Motorcycles
- Input Voltage: 240V AC
- Charge Voltage: 6.9V / 7.2V Nominal (6V Mode)

13.8V / 14.4V - Nominal (12V Mode)

- Charge Current: 1.5 A Max
- · Battery Capacity: 1.2Ah to 100Ah
- Equipment & Add Ons: <a> Power Cable (1 metre long) and a battery output cable (2 metres long)
 - √ AMP Super Seal connector with eyelet terminals, which can be left connected to the vehicle
 - √ AMP Super Seal connector with fully insulated cable clamps
 - √ User Manual
- 8 Step Automatic Charging Cycle: Initialisation, Recovery (Starting from 1.25V for 12V), Soft Charge, Bulk Charge, Desulphation, Battery Analysis, Maintenance & Equalisation.
- Types Of Battery: 6/12V Lead Acid, traditional Wet, Gel, MF, VRLA, AGM, Ca/Ca
- 5 LED's: 4 LED's to indicate charging cycle & 1 LED to indicate any error occurring.
- Protection from short circuit for an indefinite time: No Spark, Protection from Reverse Polarity, Overcharging/Overheating the Battery & Thermal Protection from over temperature.
- No interference from vehicle on-board electronics (Control Unit, ABS, GPS)
- Integrated easy to use wall mounting bracket
- Operating Temperature: From -20°C to +50°C
- IP44 Rated protected against water splash, suitable for outdoor use.
- · Made in Italy