

CON LEGI

Compatible with AMPSHARE - BERNER - BOSCH - BOSCH GREEN - DEWALT - EINHELL - FEIN - FESTOOL
FLEX - HAZET - HIKOKI - INGERSOLL - MAKITA - METABO - MILWAUKEE - PANASONIC - RIDGID - SNAP-ON - WÜRTH



One lighting solution for all battery packs

JUST CONNECT

Compatible with AMPSHARE - BERNER - BOSCH - BOSCH GREEN - DEWALT - EINHELL - FEIN - FESTOOL

FLEX - HAZET - HIKOKI - INGERSOLL - MAKITA - METABO - MILWAUKEE - PANASONIC - RIDGID - SNAP-ON - WÜRTH



With the new SCANGRIP CONNECT series, we have created a range of hybrid and innovative work lights compatible across all leading power tool brands – an outstanding lighting solution never seen before!

We connect the world of power tool batteries and professional work lights providing complete freedom to use a SCANGRIP work light regardless of your battery brand preference.



SCANGRIP CONNECT product range



The CONNECT concept

04



NOVA CONNECT series

na



AREA CONNECT series

12



1



Technical specifications

20



ORIGINAL SCANGRIP

One lighting solution for all battery packs

// SCANGRIP is proud to present a complete range of outstanding and one-of-a-kind work lights compatible with all 18 V/20 V battery packs from leading power tool brands worldwide.

 Work lights compatible with 18 V/20 V battery packs from all leading power tool brands



With the unique SCANGRIP CONNECT concept, you have complete freedom to choose the SCANGRIP work light that fits your needs regardless of brand preference.

A new invented smart CONNECTOR is designed for each power tool brand. Simply mount the CONNECTOR to the work light, attach your battery and you are ready to work. A BATTERY SAFETY SYSTEM protects the battery pack and makes it safe to use.

The SCANGRIP CONNECT range is designed for the demanding professional user and provides the latest COB LED technology, extremely flexible design and high durability. A ground-breaking lighting solution never seen before!





// Maximal freedom

The SCANGRIP CONNECT range is compatible with the METABO/CAS battery system* and all other $18\,\text{V}/20\,\text{V}$ battery packs from leading power tools brands. With stands and suspensions available, the work lights can be placed anywhere you need efficient lighting offering complete flexibility at the worksite.

Use your 18 V/20 V battery pack for SCANGRIP CONNECT work lights



An integrated battery backup function prevents you from being without light at any time

(Applies to NOVA 4 CONNECT, NOVA 10 CONNECT and AREA 10 CONNECT)

SMART CONNECTOR



// SCANGRIP has developed a unique CONNECTOR for each individual power tool brand that fits $18\,\text{V}/20\,\text{V}$ battery packs. Simply mount the CONNECTOR to the work light, attach your battery and you are ready to work.

BATTERY SAFETY SYSTEM

- Automatic discharge protection
- Overload protection
- Temperature surveillance
- Approved by TÜV Rheinland





The BATTERY SAFETY SYSTEM protects the battery pack and makes it safe to use. The safety system features an automatic discharge protection, overload protection and temperature surveillance which means you can use your $18\,\text{V}/20\,\text{V}$ battery pack again and again without damaging it.

The SCANGRIP CONNECTORS are approved by TÜV Rheinland. Each CONNECTOR is sold under separate item numbers and individually designed to fit each power tool brand.







Scan QR code to see TÜV Rheinland test report



One lighting solution for all battery packs

JUST CONNECT

Compatible with AMPSHARE - BERNER - BOSCH - BOSCH GREEN - DEWALT - EINHELL - FEIN - FESTOOL

FLEX - HAZET - HIKOKI - INGERSOLL - MAKITA - METABO - MILWAUKEE - PANASONIC - RIDGID - SNAP-ON - WÜRTH





Compatible with METABO / CAS battery system

SCANGRIP is part of the battery alliance METABO / CAS. The Cordless Alliance System (CAS) is a cross-manufacturer battery pack system of leading power tool brands using the powerful CAS battery pack system from METABO.


All SCANGRIP CONNECT products are fully compatible with METABO / CAS battery system without using the SCANGRIP CONNECTOR.

NOVA 2 CONNECT – 2000 lumen handheld, compact floodlight

ORIGINAL SCANGRIP

// Powerful compact and all-round work light designed for the professional user.

- Slim and compact design
- Extremely powerful illumination up to 2000 lumen
- Light dimmable in 5 steps





BATTERY & CONNECTORS ARE SOLD SEPARATELY

SCANGRIP CONNECTORS for 18 V/20 V battery pack



BOSCH - 03.6140C BOSCH GREEN - 03.6141C DEWALT - 03.6142C HIKOKI - 03.6147C MAKITA - 03.6148C MILWAUKEE - 03.6149C Accessories



CAS BATTERY 18 V 5.2 Ah



CAS BATTERY 12V LI-HD 4,0Ah 03 6120

3 years warranty

PATENT PROTECTED



// Portable work light

NOVA 2 CONNECT features the latest high-performance COB LED technology and provides up to 2000 lumen. The built-in light dimmer function makes it possible to adjust the light into five different steps according to the work task. It is also supplied with display for battery capacity and lumen output level.

NOVA 2 CONNECT is compatible with METABO / CAS battery system $18\,\mathrm{V}$ and all other $18\,\mathrm{V}/20\,\mathrm{V}$ battery packs from leading power tool brands by using the SCANGRIP CONNECTOR.

Due to the flexible stand and built-in hook, NOVA 2 CONNECT can be placed in different positions to obtain the desired lighting angle.

The housing is made of sturdy die-casted aluminum and resistant to strokes, shocks and vibrations. The durable construction makes NOVA 2 CONNECT perfect for the demanding, rough working environment.

As an extra feature, it has a built-in powerbank with USB outlet to charge mobile devices.

PATENT







Light dimmable in 5 steps





NOVA 2 CONNECT

03.6100C

Work light providing up to 2000 lumen





Hook for flexible positioning


NOVA CONNECT – High efficiency and powerful COB LED floodlights

ORIGINAL SCANGRIP SINCE 1906

// The extremely sturdy NOVA CONNECT floodlights provide powerful illumination and feature BLUETOOTH light control for increased work efficiency.

- Powerful work lights up to 10000 lumen
- Integrated backup battery functionality
- Long operation time
- Extremely durable with high IP (IP65)
- BLUETOOTH light control app







BOSCH/AMPSHARE - 03.6140C BOSCH GREEN - 03.6141C DEWALT - 03.6142C HIKOKI - 03.6147C MAKITA - 03.6148C MILWAUKEE - 03.6149C



CAS BATTERY 18 V 5.2 Ah



CAS BATTERY 12V LI-HD 4,0Ah





PATENT

// Unlimited availability to light

The extremely powerful NOVA 4 CONNECT and NOVA 10 CONNECT provide up to 4000 lumen and 10000 lumen respectively, and are compatible with METABO/CAS battery system $18\,\mathrm{V}$ and all other $18\,\mathrm{V}/20\,\mathrm{V}$ battery packs from leading power tool brands by using the SCANGRIP CONNECTOR.

They are designed with a display for battery capacity and lumen output level, and supplied with a built-in powerbank. The work lights are also supplied with an integrated battery backup function securing you extra operating time to finish the job.

The NOVA CONNECT work lights are extremely sturdy and waterproof (IP65). The design is elegant, with a carrying handle and a stand for flexible positioning and direct mounting on the SCANGRIP TRIPOD.

// BLUETOOTH light control

With the user-friendly BLUETOOTH light control app, you get an extraordinary possibility to turn on/off and control up to four work lights through a mobile device. The built-in dimmer function enables you to adjust the light output into five different levels. This feature saves time from manual operation and increases work efficiency on a daily basis.





Work light with BLUETOOTH providing up to 4000 lumen



NOVA 10 CONNECT

03.6102C

Work light with BLUETOOTH providing up to 10000 lumen



BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10 %-100 %
- Switch on/off, check battery
- Group control function, up to 4 lamps
- Assign pin code

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com



Convenient, built-in carrying handle



// Built-in powerbank

AREA 10 CONNECT – 10000 lumen high efficiency 360° work light



// Compact and portable area work light with many applications. Providing a diffused and uniform light, it is ideal for the professional user who requires powerful and efficient illumination of the entire worksite.









// Powerful illumination of the entire worksite

AREA 10 CONNECT provides a diffused and non-blinding work light with large dispersion. You can change between 360° and 180° illumination according to the work task and adjust the light output into five different levels by the built-in dimmer function. The compact design with a carrying handle makes AREA 10 CONNECT extremely handy and easy to move around. It is also supplied with a hook for flexible positioning and can be mounted directly on the SCANGRIP TRIPOD.

// High flexibility and long operating time

AREA 10 CONNECT is compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs from leading power tool brands by using the SCANGRIP CONNECTOR. AREA 10 CONNECT also has an internal back-up battery securing 50 extra minutes at 1000 lumen.

// BLUETOOTH light control

With the integrated BLUETOOTH light control it is possible to turn on/off the work light and adjust the light output through a mobile device, saving you time from manual operation and increasing work efficiency on a daily basis.





360° work light with BLUETOOTH providing up to 10000 lumen



Use the SCANGRIP CONNECTOR to attach your 18 V/20 V battery pack to the AREA 10 CONNECT lamp



BLUETOOTH - Light control app

- Dimmer light output into 5 levels 10 %-100 %
- Change between 360° and 180° illumination
- Switch on/off, check battery
- Group control function, up to 4 lamps
- Assign pin code

Compliant with iPhone 5 or higher / Android 5.0 or higher. Go to iTunes App Store to download the app or download the app from scangrip.com



Hook for flexible positioning



Built-in powerbank

AREA 6 CONNECT – 6000 lumen high efficiency 360° work light



// 360° high performance LED work light with powerful and diffused light for any kind of repair, paint or construction work.

- Powerful, diffused, non-blinding illumination
- 2 level light output (50-100 %)



warranty



// Powerful 360° illumination of the working area

The AREA 6 CONNECT is a real basic work light providing a diffused and pleasant, non-blinding light up to 6000 lumen. It features 2 level light output $(50-100\,\%)$ which makes it possible to adjust the light according to the work task.

AREA 6 CONNECT is compatible with METABO / CAS battery system $18\,\rm V$ and all other $18\,\rm V/20\,\rm V$ battery packs from leading power tool brands by using the SCANGRIP CONNECTOR.

// Flexible positioning

Due to the compact and lightweight design, AREA 6 CONNECT is portable and easy to carry around. It is also supplied with a hook for flexible positioning and can be mounted directly on the SCANGRIP TRIPOD.

EU DESIGN PATENT 4070035











Use the SCANGRIP CONNECTOR to attach your $18\,V/20\,V$ battery pack to the AREA 6 CONNECT lamp

TOWER 5 CONNECT – 5000 lumen floodlight with integrated tripod

ORIGINAL SCANGRIP

// Featuring two built-in floodlights, TOWER 5 CONNECT is ideal for the professional user who requires powerful and efficient illumination on the worksite.





// High flexibility

Featuring 360° flexible and turnable floodlights, the lights can be positioned in any direction to obtain the desired lighting angle, providing perfect lighting condition for painting and installation work. TOWER 5 CONNECT is extendable up to 2 meters and features 2 level light output (50-100 %) which makes it possible to adjust the light according to the work task.

TOWER 5 CONNECT is compatible with METABO/CAS battery system $18\,\mathrm{V}$ and all other $18\,\mathrm{V}/20\,\mathrm{V}$ battery packs from leading power tool brands by using the SCANGRIP CONNECTOR.

// Slim design and lightweight

TOWER 5 CONNECT is the ideal mobile work light. Featuring a QUICK-FOLD system, it is fast to set up the tripod in only a few seconds and fold again when the job is done.

In folded position, the TOWER 5 CONNECT is compact and designed for one-hand transport with the integrated carrying handle. The sturdy, slim design and low weight of only 5.2 kg makes the TOWER 5 CONNECT tailored to bring around in the back of the car and convenient to carry around from one worksite to the other.







TOWER 5 CONNECT

03.6105C

Floodlight with built-in tripod providing up to 5000 lumen



Use the SCANGRIP CONNECTOR to attach your $18\,\text{V}/20\,\text{V}$ battery pack to the TOWER 5 CONNECT lamp



STANDS and SUSPENSIONS



// Designed for direct mounting of the NOVA CONNECT and AREA CONNECT

// High stability tripod

The SCANGRIP TRIPOD is indispensable for stationary positioning of the work light for illumination in a specific working area. The SCANGRIP TRIPOD is extendable from only $1.35\,\mathrm{m}$ up to $3\,\mathrm{m}$ which gives you complete flexibility to position the light in the requested height.

The stable construction of the SCANGRIP TRIPOD 3M makes it safe even when fully extended. It is supplied with anchor points that provide an opportunity for extra stability if the tripod is exposed to strong wind or standing on an uneven surface. To increase safety when in use, the cable of the lamp can be fixed in the safety clips placed on each separate leg.





// Wheel stand for mobile positioning

The SCANGRIP WHEEL STAND makes it easy to move the light to where you need it, and at the same time you avoid uncomfortable and heavy lifting from one workplace to the other. It is upgraded with a new base which is equipped with 5 wheels for improved safety and stability and easy maneuverability.

As an additional feature, it now comes with a flexible bracket that enables you to easily position a second work light to illuminate from below. The extra mounting bracket is adjustable in the height and provides complete flexibility to position the light in the optimum height.



// Suspensions for flexible positioning

DUAL BRACKET

03.5308



Dual bracket for positioning of two lamps on TRIPOD or WHEEL STAND

SCAFFOLDING BRACKET

03.5341



For flexible positioning on scaffoldings or any round object ø40-50 mm

MAGNET BRACKET

03.5390





For flexible positioning of NOVA 4 CONNECT work light on any magnetic surface

MAGNET BRACKET - Large

03.5391







// SCANGRIP DIFFUSER provides a large dispersion and spreads the light

Enlightens the entire working area, even into the darkest corner and softens the light avoiding hard shadows. Minimizes reflections and harsh light and provides non-blinding work light.







Easy and safe mounting with strong magnets

SCANGRIP DIFFUSER


03.5750

Fits NOVA 4 CONNECT



SCANGRIP DIFFUSER - Large

03.5751











NOVA **CONNECT** series







	NOVA 2 CONNECT	NOVA 4 CONNECT	NOVA 10 CONNECT
Product number	03.6100C	03.6101C	03.6102C
Light source	High efficiency COB LED	High efficiency COB LED	High efficiency COB LED
LED performance, lumen/W	165	160	165
Luminous flux, lumen	200-2000	400-4000	1000-10000
Iluminance, lux@0.5 m	300-3000	600-6000	1600-16000
Adjustable light output	5 levels	5 levels	5 levels
Beam angle	100°	110°	110°
CRI	Ra > 80	Ra > 80	Ra > 80
ССТ	6000 K	6000 K	6000 K
Operating time with max. lumen, h	5.75@18 V 5.2 Ah battery	3 @18 V 5.2 Ah battery	1.25@18 V 5.2 Ah battery
Operating time with min. lumen, h	58@18 V 5.2 Ah battery	31@18 V 5.2 Ah battery	12@18 V 5.2 Ah battery
Operating time: backup battery, h	-	2.5@10% /400 lm	1@10% / 1000 lm
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR
Protection class	IP30	IP65 IP54 with battery cover	IP65 IP54 with battery cover
Impact protection	IK07	IK07	IK07
Impact resistance	1 m	1 m	1 m
Charger input voltage	-	-	-
Power consumption	Max 16 W	Max 30 W	Max 75 W
Battery incl.	No	No	No
Charger incl.	No	No	No
Power supply Incl.	No	No	No
Temperature	-10 to +40 °C	-10 to +40 °C	-10 to +40 °C
Dimensions	161 x 164 x 78 mm	263 x 230 x 119 mm	304 x 292 x 131 mm
Net weight	720 g	2.36 kg	3.72 kg





	AREA 10 CONNECT	
Product number	03.6103C	
Light source	240 LEDs	
LED performance, lumen/W	189	
Luminous flux, lumen	360°: 1000-10000 /180°: 500-5000	
Iluminance, lux@0.5 m	300-3000	
Adjustable light output	5 levels	
Beam angle	360°/180°	
CRI	Ra > 80	
ССТ	6000 K	
Operating time with max. lumen, h	1@18 V 5.2 Ah battery	
Operating time with min. lumen, h	22@18 V 5.2 Ah battery	
Operating time: backup battery, h	50min@10 % / 1000 lm	
Battery	Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR	
Protection class	IP65 IP54 with battery cover	
Impact protection	IK07	
Impact resistance	1 m	
Charger input voltage	-	
Power consumption	Max 84 W	
Battery incl.	No	
Charger incl.	No	
Power supply incl.	No	
Temperature	-10 to +40 °C	
Dimensions	395 x 200 x 212 mm	
Net weight	3.7 kg	

AREA 6 CONNECT		
03.6108C		
160 LEDs		
189		
3000 / 6000 (step 1 / 2)		
1500 / 3000 (step 1 / 2)		
2 levels		
360°		
Ra > 80		
6000 K		
1.75@18 V 5.2 Ah battery		
6.5@18 V 5.2 Ah battery		
+		
Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR		
IP54 with power supply IP30 with battery		
IK07		
1 m		
-		
Max 54 W		
No		
No		
No		
-10 to +40 °C		
ø195 x 363 mm		
1.97 kg		



CONNECTORS

SCANGRIP CONNECTORS for 18 V/20 V battery packs		
BOSCH / AMPSHARE	03.6140C	
BOSCH GREEN	03.6141C	
DEWALT	03.6142C	
нікокі	03.6147C	
MAKITA	03.6148C	
MILWAUKEE	03.6149C	



TOWER **CONNECT**

Product number	
Light source	
LED performance, lumen/W	



LED performance, lumen/W	
Luminous flux, lumen	
Iluminance, lux@0.5 m	
Adjustable light output	
Beam angle	
CRI	
ССТ	
Operating time with max, lumen, h	

Operating time with min. lumen, h

Operating time: backup battery, h

Battery

Dattery
Protection class
Impact protection
Impact resistance
Charger input voltage
Power consumption
Battery incl.
Charger incl.
Power supply incl.
Temperature
Dimensions
Net weight

TOWER 5 CONNECT		
03.6105C		
120 LEDs		
189		
2500 / 5000 (step 1 / 2)		
4000 / 8000 (step 1 / 2)		
2 levels		
110°		
Ra > 80		
6000 K		
2@18 V 5.2 Ah battery		
4.5@18 V 5.2 Ah battery		
-		
Compatible with METABO / CAS battery system 18 V and all other 18 V/20 V battery packs by using the SCANGRIP CONNECTOR		
IP30		
IK07		
1 m		
-		
Max 45 W		
No		
No		
No		
-10 to +40 °C		
121 x 153 x 892 mm		
5.2 kg		



BATTERY SAFETY SYSTEM

- Automatic discharge protection
- Overload protection
- Temperature surveillance
- Approved by TÜV Rheinland



Scan QR code to see TÜV Rheinland test report

Accessories





Product number
Battery
Cable
Charger input voltage
Output power
Charging time
Protection class
Impact protection
Impact resistance
Temperature
Dimensions
Net weight
Compatibility

CAS BATTERY 18V Li-POWER 5.2Ah	CAS BATTERY 12V Li-HD 4,0Ah
03.6121	03.6120
18 V 5.2 Ah Li-power	12 V 4.0 Ah Li-power
-	-
-	-
-	-
208 min	92 min
IP20	IP20
-	-
-	-
-10 to +40 °C	-10 to +40 °C
121 x 81 x 66 mm	88 x 75 x 40 mm
670 g	330 g
-	-

34 23