



RS7 HOSPITAL GRADE DISINFECTANT SPRAY

Technical Data Sheet

DIRECTIONS FOR USE

- Hard surface disinfectant only.
- Not to be used on medical devices or other therapeutic goods.
- Not to be used on skin.
- **DO NOT SATURATE. ALWAYS TEST ON HIDDEN AREA TO ENSURE SUITABILITY BEFORE USE**

Aerosol

- Shake well before use. Hold can upright 15 to 20cm from the surface. Pre-clean dirty surfaces.
- Follow best industry practice disinfection guidelines for positive disinfection results. Allow at least 10 minutes dwell time. Does not need to be rinsed.

Total Release Bomb

- **DO NOT USE MORE THAN ONE FOGGER PER ROOM. DO NOT** use in small, enclosed spaces such as closets and cabinets.
- Remove all children, pets, toys, and uncovered food from the area. **TURN OFF ALL IGNITION SOURCES** before use. Close doors and windows. Turn off Fans and air-conditioners. Temporarily disable smoke alarms.
- Place the fogger in a central location within the room on a chair or table which is protected by paper or cloth.
- Shake fogger well before use. **NOTE:** fogger sprays upward, do not put your face over the trigger. Press valve all the way down, hooking the catch. Do not inhale the spray mist.
- **LEAVE THE ROOM** immediately. Keep treated area closed and do not re-enter for at least two hours. Vent the area adequately before re-entering.

TECHNICAL DATA

Colour	Clear
Odour	Lightly Scented
System Flammability	Flammable propellant, Non-flammable liquid.
Shelf Life	12 Months

HANDLING & STORAGE

- Consult material safety data sheet prior to use.
- **DO NOT** store at temperatures over 50°C.
- Avoid exposure to direct sunlight.
- For optimum performance, store at 18°C.
- Always test product to determine suitability for your particular application prior to use.
- **DO NOT** spray on broken skin.
- Stop use if rash or irritation occurs.
- Avoid prolonged contact on skin.

EMERGENCY PROCEDURES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

IF INGESTED: **DO NOT INDUCE VOMITING.** Give a glass of water and seek medical attention.